



SMOOTH TO THE TOUCH

**DELTA<sup>®</sup> Seata**

Switch and Sockets

2021

**SIEMENS**

# ***SMOOTH TO THE TOUCH***

---



***SELECTED ACCORDING TO AN EXACTING STANDARD  
BLENDED WITH EXCELLENT CRAFTMANSHIP***



## FUNCTIONAL AESTHETICS

---



Smooth Frame



2-5 The multi-frame solution

*The creamic aesthetics presents an minimalist surface design where both frame and dolly are visually and tactually smooth.*

## LONG-TERM DURABILITY

---



Excellent PC Material




Specially added Anti-UV Material


*High-grade PC material is paired with Anti-UV materials resulting in high tensile strength, anti-abrasivity, shock and fire-resistance and long lasting colour on the switch surface.*

## EXCELLENT CRAFTMANSHIP

---




Mold Polishing



Automated Injection Moulding

*Ceramic moulding is precisely processed to get a smooth finish and with repeated hand polishing, the mould achieves a mirror finish. Automated Injection Moulding makes clean, high-quality products.*

## SAFETY




Patented V-shape groove design



3.4mm diameter design enlarges the silver contact

*Patented V-shaped groove design effectively reduces the carbon deposit and potential safety risks. The unique ultra-thick spherical design allows a larger contact area with the copper base, strengthening the binding force, and lowering the electrical resistance and improving service life.*

## STABILITY




Stable Center-Frame Design



Patented anti-skid design at mounting hole

*Stable middle frame design bears high-pressure. Patented anti-skid design at the mounting hole makes it less likely to distort during installation. A higher friction surface makes it less likely to distort and improves solidity and reliability during installation.*

## ADAPTABILITY



The Newly Designed Saddle Terminal

*The new saddle terminal can effectively house wires of different diameters. Reliability of the termination is enhanced significantly with the additional of a dual-layered scratch resistant design, making installation easy*

## FLUSH SWITCHES



**5TA0111-3PC01** 10AX 1 Gang 1 Way Switch

**5TA0113-3PC01** 10AX 1 Gang 2 Way Switch



**5TA0121-3PC01** 10AX 2 Gang 1 Way Switch

**5TA0123-3PC01** 10AX 2 Gang 2 Way Switch



**5TA0131-3PC01** 10AX 3 Gang 1 Way Switch

**5TA0133-3PC01** 10AX 3 Gang 2 Way Switch



**5TA0141-3PC01** 10AX 4 Gang 1 Way Switch

**5TA0143-3PC01** 10AX 4 Gang 2 Way Switch



**5TD0111-3PC01** 10AX 1 Gang Doorbell Switch



**5TA0115-3PC01** 10AX 1 Gang Intermediate Switch



**5TA0161-3PC01** 20A 1 Gang Double Pole Switch with Neon Indicator



**5TA0162-3PC01** 32A 1 Gang Double Pole Switch with Neon Indicator



**5TA0163-3PC01** 45A 1 Gang Double Pole Switch with Neon Indicator

## SOCKET OUTLETS



**5UB0112-3PC01** 13A 1 Gang Single Pole Switched Socket with Indicator



**5UB0188-3PC01** 13A 1 Gang International Switched Socket with Single USB



**5UB0113-3PC01** 13A 1 Gang Single Pole Switched Socket with Neon Indicator



**5UB0122-3PC01** 13A Twin Gang Switched Socket with Indicator



**5UB0181-3PC01** 13A 1 Gang International Socket with Shutter



**5UB0123-3PC01** 13A Twin Gang Switched Socket with Neon Indicator



## TELECOMMUNICATION ACCESSORIES



**5UH0131-3PC01** 1 Gang TV Socket



**5UH0162-3PC01** 1 Gang RJ45 CAT5e Socket



**5UH0132-3PC01** 1 Broadband TV Socket,  
F Connection



**5UH0165-3PC01** 2 Gang RJ45 CAT5e Socket



**5UH0161-3PC01** 1 Gang RJ11 Socket



**5UH0135-3PC01** 2 Gang TV + RJ45 CAT5e Socket



**5UH0164-3PC01** 2 Gang RJ11 Socket



**5UH0163-3PC01** 2 Gang RJ11+ RJ45 CAT5e Socket

## ACCESSORIES



**5TA0151-3PC01** Panic Button with Key Reset



**5UH0140-3PC01** Ground Lamp w/o Lighting Control



**5UH0113-3PC01** 1 Gang Blank Plate

## STANDARD COLOR SELECTIONS



**(PC 01)**

White



**(PC 02)**

Silver

# SMOOTH PROCELAIN SURFACE FOR A SENSUAL EXPERIENCE



## Smooth Frame

Smooth combination  
between the frame  
and dolly



## Anti-UV material

Weather resistance  
and non-discoloring




## Patented V-shaped groove

Effectively reduces potential  
temperature-related risks



## 3.4mm diameter design

Enlarges the silver  
contact area and reduces  
temperature-related risks



## Stable center frame design

The compact frame  
structure bears high-pressure,  
making it difficult to distort  
and easy to install.

## **DELTA® Seata Switch & Sockets**

Published by  
Siemens Malaysia Sdn Bhd

Smart Infrastructure  
Electrical Products (EP)  
CP Tower, 11, Jalan 16/11  
46350 Petaling Jaya, Selangor  
Malaysia

Subject to changes and errors.  
The information given in this document only contains general descriptions and/or performance features which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. The requested performance features are binding only when they are expressly agreed upon in the concluded contract.

© Siemens 2021