



STYLISH, SAFE & DURABLE

**DELTA<sup>®</sup> Relfa**

Switch and Sockets

2021



**SIEMENS**

## STYLISH, SAFE & DURABLE

---



A simple yet stylish design that blends seamlessly into your interior design.

## STYLISH AND SLIM DESIGN THAT IS SMOOTH TO THE TOUCH



Slim 8.2mm thickness that seamlessly blends into paint or wallpaper



Angled edges with simple curved dolly for soft switching



Tapered edges for easy installation and dismantling


## EASY INSTALLATION WITH INJURY PREVENTION FEATURES



M4 screw with folded terminal suitable for 2 x 4mm<sup>2</sup> cables




Robust honeycomb integral support structure increase the strength of the bracket to prevent deflection



Anti-slip screw shoe design to prevent loosening and more reliable during installation


## RELIABLE, SAFE AND DURABLE



Reverse bridge design, can effectively reduce arcing, and improve the switch with longer service life.



IEC Certified and applicable to LED load



99.7% copper alloy bridge ensure excellent corrosion resistance and electrical / heat conductivity

## FLUSH SWITCHES



**5TA1311-3PC01** 10AX 1 Gang 1 Way Switch

**5TA1313-3PC01** 10AX 1 Gang 2 Way Switch



**5TA1321-3PC01** 10AX 2 Gang 1 Way Switch

**5TA1323-3PC01** 10AX 2 Gang 2 Way Switch



**5TA1331-3PC01** 10AX 3 Gang 1 Way Switch

**5TA1333-3PC01** 10AX 3 Gang 2 Way Switch



**5TA1341-3PC01** 10AX 4 Gang 1 Way Switch

**5TA1343-3PC01** 10AX 4 Gang 2 Way Switch



**5TA1315-3PC01** 10AX 1 Gang Intermediate Switch



**5TD1312-3PC01** 10AX 1 Gang Bell Switch



**5TD1324-3PC01** 10AX 2 Gang Press Switch

## DOUBLE POLE SWITCHES



**5TA1361-3PC01** 20A 1 Gang Double Pole Switch with Neon Indicator



**5TA1364-3PC01** 20A 1 Gang 2 Way Double Pole Switch with Neon Indicator



**5TA1362-3PC01** 32A 1 Gang Double Pole Switch with Neon Indicator



**5TA1363-3PC01** 45A 1 Gang Double Pole Switch with Neon Indicator

## SOCKET OUTLETS



**5UB1312-3PC01** 13A 1 Gang Single Pole Switched Socket with Indicator



**5UB1313-3PC01** 13A 1 Gang Single Pole Switched Socket with Neon Indicator



**5UB1336-3PC01** 15A 1 Gang Single Pole Switched Socket with Indicator



**5UB1381-3PC01** 13A 1 Gang International Socket with Shutter



**5UB1312-3PC01** 13A Twin Gang Switched Socket with Indicator



**5UB1388-3PC01** 13A 1 Gang International Switched Socket with Single USB



**5UB1313-3PC01** 13A Twin Gang Switched Socket with Neon Indicator



**5UB1361-3PC01** 25A Connection Unit

## TELECOMMUNICATION SOCKETS



**5UH1331-3PC01** 1 Gang TV Socket



**5UH1332-3PC01** 1 Gang Broadband Astro TV Socket, F Connection



**5UH1334-3PC01** 2 Gang Broadband Astro TV Socket, F Connection



**5UH1336-3PC01** 2 Gang TV + Broadband Astro TV Socket, F Connection



**5UH1361-3PC01** 1 Gang RJ11 Socket



**5UH1364-3PC01** 2 Gang RJ11 Socket



**5UH1362-3PC01** 1 Gang RJ45 CAT5e Socket



**5UH1371-3PC01** 1 Gang RJ45 CAT6 UTP Socket



**5UH1365-3PC01** 2 Gang RJ45 CAT5e Socket



**5UH1376-3PC01** 2 Gang RJ45 CAT6 UTP Socket



**5UH1335-3PC01** 2 Gang TV + RJ45 CAT5e Socket

**5UH1363-3PC01** 2 Gang RJ11 + RJ45 CAT5e Socket

**5UH1375-3PC01** 2 Gang RJ11 + RJ45 CAT6 UTP Socket

**5UH1339-3PC01** SMATV Socket

## ACCESSORIES



**5UH1313-3PC01** 1 Gang Blank Plate



**5UH0155-3NC01** 1 Gang Socket Weather-Shield Cover, IP55, Transparent

## STANDARD COLOUR SELECTION



**(PC 01)**

White

## DELTA® Relfa Switch & Sockets

Published by  
Siemens Malaysia Sdn Bhd

Smart Infrastructure  
Electrical Products (EP)  
Cp Tower, 11, Jalan 16/11  
46350 Petaling Jaya, Selangor  
Malaysia



Subject to changes and errors.  
The information given in this document only contains general descriptions and/or performance features which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. The requested performance features are binding only when they are expressly agreed upon in the concluded contract.

© Siemens 2021