


NEW WIRING DEVICES

GALION

—STYLE—

Without

BORDERS



-> CATALOGUE PAGES INSIDE

THE GLOBAL SPECIALIST
IN ELECTRICAL AND DIGITAL BUILDING INFRASTRUCTURES

 **legrand**[®]



legrand



Perfect
— FOR —
T R E N D Y
I N T E R I O R
D E S I G N S

A reflection of contemporary style and functionality designed to marry contemporary border-less design with quality and function, **Galion's range of wiring devices is crafted with excellence, using only the best quality components.**

SUMMARY

02-03	ELEGANT DETAILS THAT MAKE THE DIFFERENCE
04-05	MINIMALIST DESIGN WITH MAXIMUM FUNCTIONS
06-07	A GOOD PLACE TO STAY
08-09	JUST FEEL LIKE HOME
10-11	FINEST QUALITY COMPONENTS & MATERIAL
12-13	STRENGTH AND EASY INSTALLATION
14-18	CATALOGUE PAGES



ELEGANT DETAILS *That Make* — THE — DIFFERENCE


A FULL PLATE,
BORDER-LESS
DESIGN,
GALION CAN SUIT
ANY INTERIOR
DESIGN STYLE



DARK SILVER



CHAMPAGNE



WHITE



ROSE GOLD



MATT BLACK

The slim and fine chamfering at the edges, the slightly curved plate: the details that make the difference for an even more refined product.

The delicate silver or electroplated bar accentuate the modern and exquisite elements of a minimalist design.

02
03


minimalist
DESIGN
WITH
Maximum
FUNCTIONS

GALION OFFERS A WIDE SELECTION OF FUNCTIONS ABLE TO SATISFY REQUIREMENTS OF THE MOST CURRENT PROJECTS.


CONTROL MECHANISMS




16 A single pole switches: 1 and 2-way and from 1 to 4 gang



16 A push buttons with or without bell marking



RLC + LED rotary dimmers



20 A double pole switches: 1 gang - 1 way with LED or with «water heater marking»



Fan stepless controls

SOCKET OUTLETS



1 and 2 gang 13 A British standard socket outlets with or without LED power indicator, with or without USB charger




1 or 2 gang 16 A Multistandard socket outlets



1 gang 20 A Cable outlet socket outlets

DATA SOCKET OUTLETS



Television sockets: female, «F» type and TV-FM-SAT



Double USB Type A charger



Data sockets: simple and double RJ 45 Cat. 6



04
05

A
GOOD
Place
TO STAY





DND/CUR marking switches



DND/CUR sign and bell push button

THE DEDICATED
HOSPITALITY
FUNCTIONS MAKE
GALION A SOLUTION
PERFECTLY
ADAPTED TO
THE NEEDS
OF A MODERN
GUEST ROOM.



Electromechanical or RFID Keycard switches



USB and HDMI socket



Shaver sockets



1 and 2 gang 13 A British standard socket outlets with USB chargers

The Multistandard socket outlets with USB charger combine standard power with the convenience of USB charging: your device plugs straight into the USB port, leaving the standard socket free. No need for bulky adaptors, and no need to compromise on running your other appliances as usual.

Equipped with two different USB charging ports, Type-A and Type-C™, 3 A – 5 V = 15W. With USB Type-C™ making its way more and more into phones, tablets, etc. you are sure to be prepared for tomorrow - today.

TYPE-A



TYPE-C



06
07

JUST
FEEL
LIKE —
Home





BE FREE TO FEEL AT HOME, BUT
WITH THE ADDED CONVENIENCE
OF HOTEL SERVICES.
GALION PROVIDES ALL NEEDED
FUNCTIONS FOR WELL-EQUIPPED
AND COMFORTABLE SERVICED
APARTMENTS.



The universal dimmer that dim
and control dimmable LEDs and
CFL, halogen or incandescent
lamps. Enabling the customers
to benefit of the entire potential
of modern loads and helping
them to create cosy interiors.



RCD + LED rotary dimmers



13 A 1 gang fused connection units, with switch
and LED power indicator



45 A double pole switches 1 gang - 1-way,
with LED and red rocker




45 A cooker units



THE ARTEOR ADAPTOR
It gives access to the Arteur
functions for any installation
requiring special functions
like automatic switches,
skirting light, sensitive
switches, etc.



08
09



legrand



FINEST
Quality
**COMPONENTS
& MATERIAL**

legrand

13A



ONLY THE BEST-IN-CLASS MATERIALS

Made from fire retardant PC materials that fuses safety, with effortless maintenance to suit that busy lifestyle.



RELIABLE PROTECTION

Encased in fibreglass nylon shutter, enjoy peace of mind with a proven track record that exceeds more than 10 000 times in operations.




PERFECT CONDUCTIVITY

With a finely-tuned ratio of phosphor bronze and silver-nickel alloy, it is the pinnacle of perfection for electrical conductivity and elasticity.

10
11


GALION WIRING DEVICES



Strength AND **EASY** INSTALLATION


COMPLETE PRODUCT

1 CATALOGUE
NUMBER = 1 READY TO INSTALL PRODUCT
FOR QUICK SELECTION




STRENGTH IN ELEGANCE

A honeycomb design supporting frame brings about the best stability and strength for electrical structures.



CLASSY SIMPLICITY

A soft protection film ensures the devices' cleanliness and neatness during installation.



EASY INSTALLATION

Experience assurance and security through installation with the new saddle-shaped terminal, which can fix up to three 4 mm² wires.

12
13

Galion™

ARTISTIC SIMPLICITY



*Matt Black Color is available on Q3/Q4'2020

A REFLECTION OF CONTEMPORARY AND FUNCTION

FUNCTIONAL AND UNIVERSAL



2 gang switch



3 gang switch



4 gang switch



13A switch socket
with USB charger



Cat6 RJ45
socket



Key card
Switch



Do not disturb
switch sensor



Dimmer
rotary

Galion™

Single Pole Switches, Double Pole Switches and Push Button



282400



282400-C3



282400-C1



282400-C



282404-C2

Pack Cat.Nos Single pole standard 16 AX - 250 V~

8/72	282400		1 gang – 1-way
	282400-C1		○ White (Silver bar)
	282400-C2		● Rose Gold (Electroplate bar)
	282400-C3		● Champagne (Silver bar)
	282400-C		● Dark Silver (Silver bar)
8/72	282401		1 gang – 2-way
	282401-C1		○ White (Silver bar)
	282401-C2		● Rose Gold (Electroplate bar)
	282401-C3		● Champagne (Silver bar)
	282401-C		● Dark Silver (Silver bar)
8/72	282402		2 gang – 1-way
	282402-C1		○ White (Silver bar)
	282402-C2		● Rose Gold (Electroplate bar)
	282402-C3		● Champagne (Silver bar)
	282402-C		● Dark Silver (Silver bar)
8/72	282403		2 gang – 2-way
	282403-C1		○ White (Silver bar)
	282403-C2		● Rose Gold (Electroplate bar)
	282403-C3		● Champagne (Silver bar)
	282403-C		● Dark Silver (Silver bar)
8/72	282404		3 gang – 1-way
	282404-C1		○ White (Silver bar)
	282404-C2		● Rose Gold (Electroplate bar)
	282404-C3		● Champagne (Silver bar)
	282404-C		● Dark Silver (Silver bar)
8/72	282405		3 gang – 2-way
	282405-C1		○ White (Silver bar)
	282405-C2		● Rose Gold (Electroplate bar)
	282405-C3		● Champagne (Silver bar)
	282405-C		● Dark Silver (Silver bar)
8/72	282406		4 gang – 1-way
	282406-C1		○ White (Silver bar)
	282406-C2		● Rose Gold (Electroplate bar)
	282406-C3		● Champagne (Silver bar)
	282406-C		● Dark Silver (Silver bar)
8/72	282407		4 gang – 2-way
	282407-C1		○ White (Silver bar)
	282407-C2		● Rose Gold (Electroplate bar)
	282407-C3		● Champagne (Silver bar)
	282407-C		● Dark Silver (Silver bar)
8/72	282413		1 gang Intermediate
	282413-C1		○ White (Silver bar)
	282413-C2		● Rose Gold (Electroplate bar)
	282413-C3		● Champagne (Silver bar)
	282413-C		● Dark Silver (Silver bar)

Push-buttons 16 AX - 250 V~

8/72	282410		1 gang push no marking
	282410-C1		○ White (Silver bar)
	282410-C2		● Rose Gold (Electroplate bar)
	282410-C3		● Champagne (Silver bar)
	282410-C		● Dark Silver (Silver bar)

Pack Cat.Nos Push-buttons 16 AX - 250 V~

8/72	282411		1 gang push button
	282411-C1		○ White (Silver bar)
	282411-C2		● Rose Gold (Electroplate bar)
	282411-C3		● Champagne (Silver bar)
	282411-C		● Dark Silver (Silver bar)
8/72	282491		2 gang push button
	282491-C1		○ White (Silver bar)
	282491-C2		● Rose Gold (Electroplate bar)
	282491-C3		● Champagne (Silver bar)
	282491-C		● Dark Silver (Silver bar)

Double pole 20 AX - 250 V~

8/72	282408		1 gang – 1-way DP SW amber LED (with Earth Connection)
	282408-C1		○ White (Silver bar)
	282408-C2		● Rose Gold (Electroplate bar)
	282408-C3		● Champagne (Silver bar)
	282408-C		● Dark Silver (Silver bar)
8/72	282414		1 gang - 1 way with "water heater" marking
	282414-C1		○ White (Silver bar)
	282414-C2		● Rose Gold (Electroplate bar)
	282414-C3		● Champagne (Silver bar)
	282414-C		● Dark Silver (Silver bar)
8/72	282409		2 gang – 1-way DP SW amber LED
	282409-C1		○ White (Silver bar)
	282409-C2		● Rose Gold (Electroplate bar)
	282409-C3		● Champagne (Silver bar)
	282409-C		● Dark Silver (Silver bar)
8/72	282412		1 gang - 2 way DP SW LED Indicator with Earth Connection
	282412-C1		○ White (Silver bar)
	282412-C2		● Rose Gold (Electroplate bar)
	282412-C3		● Champagne (Silver bar)
	282412-C		● Dark Silver (Silver bar)

Double pole switches 45 A - 250 v~

8/50	282427		1 gang 1 way with red rocker
	282427-C1		○ White (Silver bar)
	282427-C2		● Rose Gold (Electroplate bar)
	282427-C3		● Champagne (Silver bar)
	282427-C		● Dark Silver (Silver bar)

New item - to be available in NOV' 2020



282441-C1



282434



282442



282443

Pack Cat.Nos British standard sockets outlets - 13 A - 250 V~

8/72	282432 282432-C1 282432-C2 282432-C3 282432-C		1 gang BS 13A switched socket
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)
5/45	282433 282433-C1 282433-C2 282433-C3 282433-C		2 gang double BS 13A switched SKT
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)
8/72	282434 282434-C1 282434-C2 282434-C3 282433-C		1 gang multistandard switched socket
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)
5/45	282435 282435-C1 282435-C2 282435-C3 282435-C		2 gang twin SKT multistandard switched
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)

Pack Cat.Nos British standard sockets outlets - 15 A - 250 V~

8/72	282437 282437-C1 282437-C2 282437-C3 282437-C		1 gang BS 15A switched socket
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)

Pack Cat.Nos British standard sockets outlets - 13 A with USB charger

5/50	282441 282441-C1 282441-C2 282441-C3 282441-C		1 gang BS switched socket with 1 USB charger
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)
5/45	282443 282443-C1 282443-C2 282443-C3 282443-C		2 gang single pole - switched USB charger Type-A, 12 W Consumption in passive mode
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)

N New item - to be available in NOV' 2020

Pack Cat.Nos Cooker units - 250 V~

5/45	282425 282425-C1 282425-C2 282425-C3 282425-C		Conform to IEC 60884-1 and IEC 60669-145 A double pole switch + 13 A British Standard switched socket and amber LED power indicators Dim.: 146 x 88 mm
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)

Pack Cat.Nos Multistandard sockets outlets - 16 A with USB charger

5/50	282442 282442-C1 282442-C2 282442-C3 282442-C		1 gang MS switched socket with 1 USB Type A charger
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)
5/45	282444 282444-C1 282444-C2 282444-C3 282444-C		2 gang MS switched socket with 2 USB Type A + Type C charger
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)

Pack Cat.Nos USB charger 2.4 A

8/50	282447 282447-C1 282447-C2 282447-C3 282447-C		Double USB Type A charger
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)

Pack Cat.Nos 13 A fused connection units

8/50	282450 282450-C1 282450-C2 282450-C3 282450-C		1 gang 13A fused spur unit
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)
8/72	282451 282451-C1 282451-C2 282451-C3 282451-C		1 gang 13A fused spur unit with switch
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)

Pack Cat.Nos Cable outlets

8/72	282452 282452-C1 282452-C2 282452-C3 282452-C		1 gang 20A cable outlet
			○ White (Silver bar)
			● Rose Gold (Electroplate bar)
			● Champagne (Silver bar)
			● Dark Silver (Silver bar)

Galion™

Dimmers, Television sockets, Switches for Hotels and Shaver Sockets



282420-C2



282415-C3



282417



282416

Pack Cat.Nos Rotary dimmers without neutral - 300 W RLC+LED

Conform to IEC 60669-2-1
For all types of lamps:
- dimmable LEDs: 5 W to 75 W
- dimmable compact fluorescent lamps: 5 W to 75 W
- halogen with ferromagnetic or electronic transformer: 5 VA to 300 VA
- fluorescent tube - ballast: 5 VA to 300 VA
- halogen and incandescent 230 VA: 5 W to 300 W

N

5/50

282419
282419-C1
282419-C2
282419-C3
282419-C



- White (Silver bar)
- Rose Gold (Electroplate bar)
- Champagne (Silver bar)
- Dark Silver (Silver bar)
- Matt Black (Electroplate bar)

Dimmers

500W dimmer rotary

5/50

282420
282420-C1
282420-C2
282420-C3
282420-C



- White (Silver bar)
- Rose Gold (Electroplate bar)
- Champagne (Silver bar)
- Dark Silver (Silver bar)
- Matt Black (Electroplate bar)

Fan stepless controls

N

8/72

282490
282490-C1
282490-C2
282490-C3
282490-C



- White (Silver bar)
- Rose Gold (Electroplate bar)
- Champagne (Silver bar)
- Dark Silver (Silver bar)
- Matt Black (Electroplate bar)

Television sockets

N

8/90

282457
282457-C1
282457-C2
282457-C3
282457-C



Single TV socket, Female

- White (Silver bar)
- Rose Gold (Electroplate bar)
- Champagne (Silver bar)
- Dark Silver (Silver bar)
- Matt Black (Electroplate bar)

N

10/90

282449
282449-C1
282449-C2
282449-C3
282449-C



TV F type socket

- White (Silver bar)
- Rose Gold (Electroplate bar)
- Champagne (Silver bar)
- Dark Silver (Silver bar)
- Matt Black (Electroplate bar)

N

8/72

282459
282459-C1
282459-C2
282459-C3
282459-C



TV-R-SAT sockets

Low attenuation: 1.5dB

- White (Silver bar)
- Rose Gold (Electroplate bar)
- Champagne (Silver bar)
- Dark Silver (Silver bar)
- Matt Black (Electroplate bar)

Pack Cat.Nos Switches for hotels

1/50

282417



Black touch plate push + DND/CUR sign

8/72

282416
282416-C1
282416-C2
282416-C3
282416-C



2 gang switch for DND/CUR

- White (Silver bar)
- Rose Gold (Electroplate bar)
- Champagne (Silver bar)
- Dark Silver (Silver bar)
- Matt Black (Electroplate bar)

5/50

282415
282415-C1
282415-C2
282415-C3
282415-C



Key card switch 220V

- White (Silver bar)
- Rose Gold (Electroplate bar)
- Champagne (Silver bar)
- Dark Silver (Silver bar)
- Matt Black (Electroplate bar)

1/50

282418
282418-C1
282418-C2
282418-C3
282418-C



Key card switch RFID

- White (Silver bar)
- Rose Gold (Electroplate bar)
- Champagne (Silver bar)
- Dark Silver (Silver bar)
- Matt Black (Electroplate bar)

Shaver Sockets

Conform to IEC 61558-2-8
115/230 V - 20 VA - 50/60 Hz
Power supply: 230 VA - 50/60 Hz
Suitable for use with European, British, Australian, Chinese and US 2-pin plugs
Dim: 86 x 146 mm
2 outputs

1/10

282439
282439-C1
282439-C2
282439-C3
282439-C



- White (Silver bar)
- Rose Gold (Electroplate bar)
- Champagne (Silver bar)
- Dark Silver (Silver bar)
- Matt Black (Electroplate bar)

N

8/72

282448
282448-C1
282448-C2
282448-C3
282448-C



USB and HDMI data sockets

- White (Silver bar)
- Rose Gold (Electroplate bar)
- Champagne (Silver bar)
- Dark Silver (Silver bar)
- Matt Black (Electroplate bar)

N New item - to be available in NOV' 2020




282463



282463-C



282461



282470




282471

Pack	Cat.Nos	Telephone sockets
8/72	282445	RJ 11 socket ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282445-C1	
	282445-C2	
	282445-C3	
	282445-C	
8/72	282446	Double RJ 11 socket ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282446-C1	
	282446-C2	
	282446-C3	
	282446-C	
8/72	282460	Data sockets RJ 45 cat 5E socket ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282460-C1	
	282460-C2	
	282460-C3	
	282460-C	
8/72	282462	Double RJ 45 cat 5E socket ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282462-C1	
	282462-C2	
	282462-C3	
	282462-C	
8/72	282461	RJ 45 cat 6 socket ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282461-C1	
	282461-C2	
	282461-C3	
	282461-C	
8/72	282463	Double RJ 45 cat 6 ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282463-C1	
	282463-C2	
	282463-C3	
	282463-C	
15/135	282470	Blanking plates Blank ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282470-C1	
	282470-C2	
	282470-C3	
	282470-C	


Pack	Cat.Nos	Multi-gang plates
20/180	282472	2 gang frame ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282472-C1	
	282472-C2	
	282472-C3	
	282472-C4	
5/70	282473	3 gang frame ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282473-C1	
	282473-C2	
	282473-C3	
	282473-C	
5/60	282474	4 gang frame ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282474-C1	
	282474-C2	
	282474-C3	
	282474-C	
5/30	282475	5 gang frame ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282475-C1	
	282475-C2	
	282475-C3	
	282475-C	
15/135	282471	ARTEOR adaptor ○ White (Silver bar) ● Rose Gold (Electroplate bar) ● Champagne (Silver bar) ● Dark Silver (Silver bar) ● Matt Black (Electroplate bar)
	282471-C1	
	282471-C2	
	282471-C3	
	282471-C	

More information?

For detailed product information, refer to the complete range of brochures



20



FOLLOW US ALSO ON

→ www.megapower.net.my
www.legrand.com.my
 youtube.com/user/legrand
 twitter.com/legrand_news
 pinterest.com/legrandgroup
 linkedin.com/company/10526151



Megapower Legrand (M) Sdn. Bhd. (544761-T)
 Lot 1888, Jalan KPB 7,
 Kawasan Perindustrian Balakong,
 Bukit Belimbing, 43300 Seri Kembangan,
 Selangor Darul Ehsan, Malaysia.

Tel : +60 (3) 8962 3333
 Fax: +60 (3) 8962 2211
 Email: enquiries@megapowerlegrand.com.my

EXB19027 - ZM-SC LG6L