

CABLE CUTTER

TCXS-630 Hydraulic Cable Cutter

Applications : Cutting of Copper & Aluminium PVC Cable

Input Pressure : Max. 700bar or 10,000psi

Opening Jaw : 45mm

Cutting Range : Up to 45mm OD

Total Length : 300mm

Weight : 5kgs

The cutter can be paired with CONWAY range of Electric and Hydraulic Pumps:

- TCPM-1000
- TCCP-630HP
- TCCP-630FP



Note :

1. Do not use it to cut any rebar, steel wire or armoured cables.

CUTTING AND BENDING TOOLS

TCBC-150 Hydraulic Bar Cutter

Input Pressure : Max. 700bar or 10,000psi
 Max. Width : 150mm
 Max. Thickness : 10mm for Copper Bar
 6mm for Mild Steel Plate
 Weight : 26kgs

Also available : TCBC-200 with max. cutting width of 200mm



TCBB-150 Hydraulic Bar Bender

Input Pressure : Max. 700bar or 10,000psi
 Max. Width : 150mm
 Max. Thickness : 10mm for Copper Bar
 Weight : 23kgs

Also available : TCBB-200 with max. bending width of 200mm



TCCH-60 Hydraulic Hole Puncher

Input Pressure : Max. 700bar or 10,000psi
 Output Force : 20 tons
 Max. Thickness : 10mm for Copper Bar
 6mm for Mild Steel Plate
 Dies Size : 10.5mm, 13.5mm, 17.5mm and 20.5mm
 Weight : 16kgs

70mm horizontal
insert spacing



TOPT-PP-70 Hydraulic Hole Puncher (Pre-order)

Output Force : 30 tons
 Max. Thickness : 10mm for metal plate
 Punch Dies Size : 10.5mm, 13.5mm, 17.5mm and 20.5mm
 Weight : 13kgs
 Brand : OPT

Note :

- The above tools can be paired with CONWAY range of Electric and Hydraulic Pumps:
 - TCPM-1000
 - TCCP-630HP
 - TCCP-630FP

70mm throat depth



HOLE CUTTER

TCHC-52 Hydraulic Hole Cutter

The Hydraulic Hole Cutter comes with various dies set (16.5, 20.5, 22.5, 25.4, 30.5, 40.5 and 50.5mm). Additional dies can be fabricated according to requirements.

Input pressure	: Max. 700bar or 10,000psi
Output Force	: 8 ton
Maximum Thickness	: 2.5mm for Mild Steel Plate
Hole Size	: 16.5, 20.5, 22.5, 25.4, 30.5, 40.5 and 50.5mm.

Weight	: 4.0kgs (Hole Cutter with a standard die)
--------	--



TCHC-115 Hydraulic Hole Cutter

The Hydraulic Hole Cutter comes with ½" to 4" Dies. Additional dies can be fabricated according to requirements.

Input pressure	: Max. 700bar or 10,000psi
Output Force	: 12 ton
Maximum Thickness	: 2.5mm for Mild Steel Plate
Hole Size	: 21.8mm, 27.6mm, 34.1mm, 42.7mm, 48.7mm, 60.5mm, 76.1mm, 88.9mm, 102.8mm and 115.5mm



Attachment for different Hole Sizes:

- For dies 21.8mm & 27.6mm, insert the 3/8" Draw provided.
- For dies 34.1, 42.7, 48.7mm, use the 3/4" Draw together with "Space Ring".
- For dies 60.5, 76.1, 88.9, 102.8 and 115.5mm, just use the 3/4" Draw.

Note :

1. The above tools can be paired with CONWAY Hydraulic Hand Pump:
- TCCP-400HP

